





Diversity of Fungi







Thanks to Joanna Masel

24 February 2009 ECOL 182R Uof A K. E. Bonine

Upcoming Syllabus (middle third)

24 Feb KB – Fungi Chapter 31 26 Feb KB – Prokaryotes, Protists, Photoautotrophy, Endosymbioses Chapters 28, 29

3 Mar KB - Plant Diversity Chapter 30 5 Mar KB - Plant Form and Function Chapters 36, 37

10 Mar KB - Plant Function Chapters 38, 40, and 39 (pp. 857-866, 873-882, 887-888) 12 Mar WS - Population Growth and Regulation Chapter 52

17&19 Mar Spring Recess

24 Mar KB - Plant Community Ecology, Disturbance, Succession Chapters 30, 53 26 Mar KB - Galapagos Case Study Wikelski 2000 and www.darwinfoundation.org/en/galapagos/marine www.darwinfoundation.org/en/galapagos/land

31 Mar Part 2. Discussion and Review. 02 Apr **EXAM 2**

Kevin Bonine 182 Office Hours


10-noon Tuesdays **BSE 113**

-also M 1-2 and W 11-noon--206 and 437 students have priority-






Tree of Life



Opisthokonts (Fungi and Animals are closely related) Absorptive nutrition, chitin in cell walls Opisthokonts Flagellum, if present, is single and posterior



Chitin

(tough but flexible nitrogen-containing polysaccharide)

- Production of chitin is a shared derived trait for
 - choanoflagellates
- Cryps Cryps
- Evidence that fungi are closer to than

7

How fungi live


- All use absorptive nutrition, secreting digestive enzymes and absorbing the breakdown products
- · Most are saprobes (on matter
 - Earth's main decomposers (with bacteria)
 - principal decomposers of cellulose $\&\ lignin$
 - nutrient (re)cyclers
- Some are parasites
- · A few are mutualists

Cell structure of multicellular fungi


Vegetative body = mycelium (plural mycelia)

Composed of threadlike

(singular hypha)



Incomplete division into cells



cell-like compartments separated by septa (singular septum)

Free movement of organelles, sometimes even nuclei, and other materials 11

Fungus structure

- · Hyphae may
 - disperse to look for nutrients
 - clump together to exploit a food source

are a


structure

· Most Unicellular fungi are called



12

Fungal hyphae attack a leaf



Hyphae give a large surface:volume ratio, which helps with absorptive nutrition

2

Symbiotic fungi

are symbiotic associations of a fungus with a

- unicellular photosynthetic

- or both

Lichens are important pioneer species




Symbiotic fungi

· Mycorrhizae are associations

of and

- · The fungus obtains organic compounds, while the plant is provided with water and soil nutrients
- Some plants can't grow without them



Symbiotic fungi






Mycorrhizae =

associations of

Fungi increase $\operatorname{surface}$ area for nutrient and water absorption by plant






Fungi are very important cyclers of nutrients.

Especially Carbon, Nitrogen, Phosporus.

Predatory fungus!




Fungus capturing a nematode worm 19

Fungal reproduction can be complex

OR

·Life cycles distinguish 4/5 phyla

 When sex has not been observed, provisionally classified as imperfect fungi (aka deuteromycetes): ~ 25,000 species Alternation of Generations



Alternation of Generations

Both the haploid and the diploid have forms.

Compare to Haplontic and Diplontic.

Haplontic life cycle

____is dominant, multicellular


- structure
- Often diploid only very briefly as a zygote
- · Meiosis produces haploid nuclei again
- Haploid spores divide mitotically to form haploid hyphae

Dikaryotic Lifestage

- · Unique to fungi
- · Two haploid (n) cells fuse, but not their nuclei
- Plasmogamy (cell fusion) followed later by Karyogomy to produce

Diploid (2n) Zygote


24



4

Chytrid Fungi

A chytrid fungus (Batrachochytrium dendrobatidis: Ba) has been implicated in the worldwide decline of numerous species. Frogs infected with this fungus suffer chytridiomycosis, a disease affects amphibian skin and is often fatal. Chytrid zoospores can survive in damp conditions and may be transported between frog populations in muddy clothing and footwear.





- water balance
- respiration
- immune system

26



Yeast are fungi


- · All five fungal phyla have unicellular species
- Those of all phyla except chytrids are called yeasts
- The yeast Saccharomyces cerevisiae makes CO₂ and ethanol during fermentation

· Used for bread and beer





Asexual reproduction via spores



conidia

Fungal spores are everywhere

- Every breath we take is full of fungal spores (~10,000/m³ of air)
- Most humans only succumb to fungal pathogens when immunocompromised







ring worm some pneumonias

7) Fungus

Plants are not so lucky

Parasitic fungus *Ustilago* maydis (corn smut)

Fungus (aka mold, mildew, etc.) causes lots of crop damage

Dutch Elm diseaseChestnut blight

31



Neither was this ant

Spores of this fungus don't germinate until ingested by an

Fungal asexual reproduction

· Cell division by unicellular fungi (fission)

(budding)




· Simple breakage of the mycelium


Fungal Sexual reproduction

- · Some fungi have more than 2 mating types
- · Mating types don't look different
- · Mating can only occur between different mating types, preventing self-fertilization
- · Sexual reproduction when hyphae (or motile cells in chytrids) of different mating types meet and fuse

Basidiomycete life cycle




Basidiomycete life cycle



Important points about sex and reproduction

- Sex =
- Reproduction
- Genetic recombination = any gene exchange: not just sex, also nonreproductive processes such as
- · Dikaryotic individuals include 2 fused individuals, but not fused nuclei
- "Spores" can be sexual or asexual, reproductive or not: normally a small, tough cell with potential to become new organism. Often capable of latency. Can be plant, bacterial, protist or fungal.

Five Fungi Phyla



Chytrids

~Aquatic Only fungi group with flagella


Includes
Batrachochytrium
dendrobatidis (Bd)
causing amphibian
die-offs




Asconycota
Basidomycota

Basidomycota

Glomerocytes



Ascomycetes





Includes brewer's and baker's yeast. Lots of plant parasites. Molds and Mildew. Penicillin. Stinky cheese production.

Basidiomycetes

